






The Import/Export Business: Working with Vandelay in Evergreen



*Angela Kilsdonk, Education Manager
Equinox Software*

Importing Bibliographic Records

- Files of MARC records, from vendor, OCLC
 - Embedded holdings?
 - Duplicate records?
 - Overlay/merge profiles?
 - Insufficient Quality Fall-Through Profile....?

Go Back Reload Go Forward Debug Print Page

 Export Records  Import Records  Inspect Queue  Record Display Attributes  Merge / Overlay Profiles

 Record Match Sets  Holdings Import Profiles

Evergreen MARC File Upload

Record Type

Bibliographic Records

Create a New Upload Queue

or Add to an Existing Queue

Record Match Set

Limit matches to bucket

Holdings Import Profile

Select a Record Source

oclc

Record Import Actions

Merge Profile

Import Non-Matching Records

☐

Merge On Exact Match (901c)

☐

Merge On Single Match

☐

Merge On Best Match

☐

Best/Single Match Minimum Quality Ratio

0.0

New Record Quality / Quality of Best Match

Insufficient Quality Fall-Through Profile

Remove MARC Field Groups

☐ OCLC (APEX)
☐ 029 (APEX)

Copy Import Actions

Auto-overlay In-process Acquisitions Copies

☐

File to Upload:

Browse...

Upload

Import Workflows

- Importing records
- Importing records with holdings (from vendor)
- Import records and generate holdings

Importing Bib Records

Things to think about:

- Record Match Sets
 - Are these titles re-orders/are these records already in the catalog? If so, how can I find matches?
- Merge/Overlay Profiles
 - How do I want Evergreen to process duplicate records?
- Holdings Import Profiles
 - Do my MARC records have holdings information in them?

Record Match Sets

[Go Back](#) [Reload](#) [Go Forward](#) Debug [Print Page](#)

[Export Records](#) [Import Records](#) [Inspect Queue](#) [Record Display Attributes](#) [Merge / Overlay Profiles](#)

[Record Match Sets](#) [Holdings Import Profiles](#)

Vandelay Match Sets

[New Match Set](#) [Delete Selected](#)

Show sets owned at or below: ▼

[Back](#) [Next](#) [Filter](#)

✓	#	Name	Owning Library	Match Set Type
<input type="checkbox"/>	1	ISBN	APEX	biblio
<input type="checkbox"/>	2	Title	APEX	biblio

Vandelay Match Set Editor

Match set name: ISBN
Owning Library: Apex Branch
Type: biblio

Your Expression: (020 ≠a)

Add new Record Attribute MARC Tag and Subfield Boolean Operator

Working Match Point

Tag: 010

Subfield: ≠

Match Score 1

Negate? ☐

Ok

Your Expression

AND

020 ≠a | Match score 1

Delete Selected Node Enter Replace Mode

- Define this match point using the above fields, then drag me to the tree on the right.

Save Changes To Expression

Quality Metrics for this Match Set

Record Attribute MARC Tag and Subfield
Delete Selected Metrics

configured match on ISBN (020\$a)

adding a 2nd match point using MARC Tag and Subfield (010) for matching on ISBN and LCCN)

Quality Metrics

- Ensures that the incoming record is as good as or better than the record that is already in your catalog
- Evergreen uses the configured quality metrics to evaluate incoming records against existing records
- ELvl (Encoding Level)
- Optional

[Go Back](#)[Reload](#)[Go Forward](#)

Debug

[Print Page](#)[Export Records](#) [Import Records](#) [Inspect Queue](#) [Record Display Attributes](#) [Merge / Overlay Profiles](#)[Record Match Sets](#) [Holdings Import Profiles](#)

match point.

020 \$a | Match score 1

[Delete Selected Node](#)[Enter Replace Mode](#)[Save Changes To Expression](#)

Quality Metrics for this Match Set


[Record Attribute](#)[MARC Tag and Subfield](#)[Delete Selected Metrics](#)Record Attribute: Value: Match Score: [Ok](#)[Cancel](#)[Back](#) [Next](#) [Filter](#)

✓	#	Quality	Record Attribute	Tag	Subfield	Value
<input type="checkbox"/>	1	10	enc_level			
<input type="checkbox"/>	2	9	enc_level			1
<input type="checkbox"/>	3	8	enc_level			2


Merge/Overlay Profiles

- 2 default profiles
 - Full Overlay
 - Will overlay existing record with incoming record
 - Match-Only Merge
 - For incoming records with embedded holdings--allows you to import holdings and attach to existing record without importing new bib
- Create custom profiles

Merge/Overlay Profile



A screenshot of a 'Merge/Overlay Profile' dialog box. The dialog has a title bar with a close button (X) in the top right corner. It contains a table with the following fields:

Name	590 preserve
Owner	APEX 
Preserve Specification	590
Replace Specification	
Add Specification	
Remove Specification	
Min. Quality Ratio	
Field ID	15
Cancel	Save

Ready to Import?

- Uploading bib records only (no embedded holdings)--- ready to import!

Holdings Import Profile

- Import holdings information that is embedded in your MARC records
 - likely vendor records for pre-processed/shelf-ready items
- Evergreen will extract this information from the MARC records and automatically create items for the bib records

Holdings Import Profiles

Go Back Reload Go Forward Debug Print Page

Export Records Import Records Inspect Queue Record Display Attributes Merge / Overlay Profiles
Record Match Sets **Holdings Import Profiles**

Holdings Import Profiles

New Definition Delete Selected

Context Org Unit

[Back](#) [Next](#) [Filter](#)

✓	#	Alert Message	Barcode	Call Number	Circulate	Circulate As MARC Type	Circulating Library	Circulation Modifier	Copy Number	Depos
<input type="checkbox"/>	1		p	j	[@code = "x" and text() = "circulating"]		[@code = "b"][2]	g	t	
<input type="checkbox"/>	2		i	a				t		

Embedded holdings and profile

Record Match Sets Holdings Import Profiles

Holdable	<input type="text"/>
Keep	<input type="checkbox"/>
Name	856 Import
OPAC Visible	<input type="text"/>
Overlay Match ID	<input type="text"/>
Owner	APEX ▼
Owning Library	d
Price	p
Private Note	<input type="text"/>
Public Note	<input type="text"/>
Reference	<input type="text"/>
Shelving Location	s
Status	t
Tag	856

File Edit Fonts Reports Tools Plug-ins Help



story of the muckraking press, which arouses the spirit of reform that helps Roosevelt to shed its laissez-faire attitude toward robber barons, corrupt politicians, and corporate natural resources. The muckrakers are portrayed through the greatest group of journalists at one magazine -- Ida Tarbell, Ray Stannard Baker, Lincoln Steffens, and William Underhill Chamberlain, under the mercurial genius of publisher S. S. McClure. Goodwin's narrative is founded on primary materials. - Jacket flap.

=600 10\$aRoosevelt, Theodore,\$d1858-1919.

=600 10\$aTaft, William H.\$q(William Howard),\$d1857-1930.

=651 10\$aUnited States\$xPolitics and government\$y1901-1909.

=651 10\$aUnited States\$xPolitics and government\$y1909-1913.

=650 10\$aProgressivism (United States politics)\$xHistory\$y20th century.

=650 10\$aPress and politics\$zUnited States\$xHistory\$y20th century.

=610 20\$aRepublican Party (U.S. : 1854-)\$xHistory\$y20th century.

=856 \\\$a646543555\$bE757 .G66 2013\$cBook\$dAPEX\$p20.00\$sStacks\$tAvailable

=856 \\\$a646543556\$bE757 .G66 2013\$cBook\$dAPEX\$p20.00\$sStacks\$tAvailable

=994 \\\$aC0\$bEQNOX

=LDR 02944cam 2200433 i 4500

=001 ocn843858721

=003 OCoLC

Ready to Import!

- Record Match Set
- Merge/Overlay Profiles
- Holdings Import Profile

Evergreen MARC File Upload

Record Type	<input type="text" value="Bibliographic Records"/>	
Create a New Upload Queue	<input type="text" value="March nonfic"/>	or Add to an Existing Queue <input type="text"/>
Record Match Set	<input type="text" value="ISBN"/>	Limit matches to bucket <input type="text"/>
Holdings Import Profile	<input type="text" value="856 Import"/>	
Select a Record Source	<input type="text" value="oclc"/>	

Record Import Actions

Merge Profile	<input type="text" value="Full Overlay"/>
Import Non-Matching Records	<input checked="" type="checkbox"/>
Merge On Exact Match (901c)	<input type="checkbox"/>
Merge On Single Match	<input checked="" type="checkbox"/>
Merge On Best Match	<input checked="" type="checkbox"/>
Best/Single Match Minimum Quality Ratio	<input type="text" value="0.0"/> New Record Quality / Quality of Best Match
Insufficient Quality Fall-Through Profile	<input type="text"/>
Remove MARC Field Groups	<div><input type="checkbox"/> OCLC (APEX) <input type="checkbox"/> 029 (APEX)</div>

Copy Import Actions

Auto-overlay In-process Acquisitions Copies	<input type="checkbox"/>
---	--------------------------

File to Upload:

Remove MARC Field Groups

- Configure under Server Admin
- Can be applied:
 - Cataloging -> MARC Batch Import/Export
 - Cataloging-> Import Record from Z39.50
 - Acquisitions -> Load MARC Order Records

MARC Import Remove Fields

[Go Back](#) [Reload](#) [Go Forward](#) Debug [Print Page](#)

Import Bib Trash Fields [New Field Group](#) [Delete Selected](#)

[Filter](#)

✓	#	ID	Short (Policy) Name	Label	Always Apply	
<input type="checkbox"/>	1	3	APEX	029	f	
<input type="checkbox"/>	2	1	APEX	OCLC	f	

[Go Back](#)[Reload](#)[Go Forward](#)[Debug](#)[Print Page](#)

OCLC

[New Field](#)[Delete Selected](#)[Return to Groups](#)[Filter](#)

✓	#	Field ID	Field	
<input type="checkbox"/>	1	1	955	
<input type="checkbox"/>	2	5	954	

Evergreen MARC File Upload

Record Type	<input type="text" value="Bibliographic Records"/>	
Create a New Upload Queue	<input type="text" value="March nonfic"/>	or Add to an Existing Queue <input type="text"/>
Record Match Set	<input type="text" value="ISBN"/>	Limit matches to bucket <input type="text"/>
Holdings Import Profile	<input type="text" value="856 Import"/>	
Select a Record Source	<input type="text" value="oclc"/>	

Record Import Actions

Merge Profile	<input type="text" value="Full Overlay"/>
Import Non-Matching Records	<input checked="" type="checkbox"/>
Merge On Exact Match (901c)	<input type="checkbox"/>
Merge On Single Match	<input checked="" type="checkbox"/>
Merge On Best Match	<input checked="" type="checkbox"/>
Best/Single Match Minimum Quality Ratio	<input type="text" value="0.0"/> New Record Quality / Quality of Best Match
Insufficient Quality Fall-Through Profile	<input type="text"/>
Remove MARC Field Groups	<div><input type="checkbox"/> OCLC (APEX) <input type="checkbox"/> 029 (APEX)</div>

Copy Import Actions

Auto-overlay In-process Acquisitions Copies	<input type="checkbox"/>
---	--------------------------

File to Upload:

Copy Overlay

- 2 options for copy overlay
 - Copy ID Match
 - Auto-overlay In process Acquisitions copies

Evergreen MARC File Upload

Record Type	<input type="text" value="Bibliographic Records"/>	
Create a New Upload Queue	<input type="text" value="March nonfic"/>	or Add to an Existing Queue <input type="text"/>
Record Match Set	<input type="text" value="ISBN"/>	Limit matches to bucket <input type="text"/>
Holdings Import Profile	<input type="text" value="856 Import"/>	
Select a Record Source	<input type="text" value="oclc"/>	

Record Import Actions

Merge Profile	<input type="text" value="Full Overlay"/>
Import Non-Matching Records	<input checked="" type="checkbox"/>
Merge On Exact Match (901c)	<input type="checkbox"/>
Merge On Single Match	<input checked="" type="checkbox"/>
Merge On Best Match	<input checked="" type="checkbox"/>
Best/Single Match Minimum Quality Ratio	<input type="text" value="0.0"/> New Record Quality / Quality of Best Match
Insufficient Quality Fall-Through Profile	<input type="text"/>
Remove MARC Field Groups	<div><input type="checkbox"/> OCLC (APEX) <input type="checkbox"/> 029 (APEX)</div>

Copy Import Actions

Auto-overlay In-process Acquisitions Copies	<input type="checkbox"/>
---	--------------------------

File to Upload:

Import Queue (Import Summary)

Queue *March nonfic*

Queue Actions

[Import Selected Records](#)

[Import All Records](#)

[View Import Items](#)

[Delete Queue](#)

[Copy To Bucket](#)

Queue Summary

Records in Queue: 3

Records Imported: 3

Record Import Failures 0

Items in Queue 4

Items Imported 4

Item Import Failures 0

Queue Filters

Limit to Records with Matches ☐

Limit to Non-Imported Records ☐

Limit to Records with Import Errors ☐

Export Queue As... ▾

Records Per Page

10 ▾

Page 1

[« Previous](#) [Next »](#)

<input type="checkbox"/>	View MARC	Matches	Import Failures	Import Time	Title of work	Author of work	Language of work	Pagination	ISBN
--------------------------	-----------	---------	-----------------	-------------	---------------	----------------	------------------	------------	------

The

[Search the Catalog](#)[Advanced Search](#)[Browse the Catalog](#)Search: Type: Format: Library: **Recent searches**[◀ Search Results](#) Showing Item 1 of 2 [Next ▶](#)

The bully pulpit : Theodore Roosevelt, William Howard Taft, and the Golden Age of journalism / Doris Kearns Goodwin.

[Goodwin, Doris Kearns.](#) author. (Author).

Language material

Available copies

- 2 copies at Equinox Consortium.

Current holds

0 current holds with 2 total copies.

[Place Hold](#) [Add to my list](#) [Print / Email](#)

LOCATION	CALL NUMBER / COPY NOTES	BARCODE	SHELVING LOCATION	AGE HOLD PROTECTION	CREATE DATE	HOLDABLE?	STATUS	DUE DATE
Apex Branch	E757 .G66 2013 (Text)	646543555	Stacks	None	03/18/2014	Copy hold / Volume hold	Available	-
Apex Branch	E757 .G66 2013 (Text)	646543556	Stacks	None	03/18/2014	Copy hold	Available	-

Auto-generate item info

- New Library Settings allows Evergreen to generate item information:
 - Item barcodes & prefixes
 - Call numbers & prefixes
 - Default circulation modifier
 - Default copy location

Record Export

- MARC Batch Import/Export
- Record Buckets

MARC Batch Export

[Go Back](#) [Reload](#) [Go Forward](#) Debug [Print Page](#)

[Export Records](#) [Import Records](#) [Inspect Queue](#) [Record Display Attributes](#) [Merge / Overlay Profiles](#)
[Record Match Sets](#) [Holdings Import Profiles](#)

Export Records

Use Field Number

(starting from 0)

From CSV File

[Browse...](#)

Or

Record ID

Or

Record Bucket ID

Record Type

Record Format

Record Encoding

Include holdings in Bibliographic Records

☐

[Retrieve Records](#)

Record Bucket Export

Record Query Pending Records Bucket View

lee child Bucket Actions Contains 5 bucket items

Bucket # 215 lee child Owner: System Account (101010101010101) @ CONS

Remove Selected from Bucket

Add Selected to Pending Records

#	Author	Edition	ISBN	Publication Date	Publisher	TCN	Title	
1	Child, Lee.		9780440339366 ...	c2012	Random House Pub...	695624	A wanted man : a Jack Reache...	
2	Child, Lee.	1st large print ed.	9780739377673 ...	2010	Random House Lar...	695627	61 hours : a Jack Reacher novel	
3	Child, Lee.		0399147268 (alk...	c2001	G.P Putnam's Sons	2904	Echo burning : a Jack Reacher ...	
4	Child, Lee.		0385340559	2007	Delacorte Press	367	Bad luck and trouble : a Jack R...	
5	Child, Lee.		0399146237 (aci...	c2000	G.P. Putnam's Sons	2727	Running blind	

List Actions

Batch: Show All in Catalog Transfer Title Holds Delete All Records Merge All Records MARC Batch Edit Export All Records

Questions?

Thank you!