


Let's Get Cooking

How to Spice Up Your Receipt Recipes

by Jason Etheridge, Equinox Software, Inc.

getting started



at a glance

The screenshot shows a web browser window titled "1: admin@BR1-phasefx-PC.phasefx.evergreencatalog.com". The browser's address bar and menu bar are visible. The main content area is titled "Receipt Template Editor" and contains several sections:

- Templates:** A section with an "ID" label. It includes a "Name" dropdown menu set to "item_status", a "Type" dropdown menu set to "items", and a "Force Printer Context" dropdown menu.
- Actions:** A section with several buttons: "Preview", "Default", "Macros", "Save Locally", "Export", and "Import". A note above the buttons reads "Be sure to 'Save Locally' before export".
- Preview:** A section showing a rendered receipt. The text reads: "The following items have been examined:" followed by a list of four items:
 1. Peace comes to Castle Oak
Barcode: 3635300990263
 2. The robber barons : the great American capitalists, 1861-1901
Barcode: 33207002163014
 3. Katy no-pocket
Barcode: 33034001434539
 4. King's Castle
- Header:** A section showing the header text: "The following items have been examined: <hr/>".
- Line Item:** A section showing the line item text: "%title%
Barcode: %barcode%".
- Footer:** A section showing the footer text, which is partially obscured.

what you see is not what you get

Header

Welcome to %
LIBRARY%!

You checked out the
following items:

<hr/>

Welcome to Example Branch 1!
You checked out the following items:

what you don't see isn't obvious



let's start with HTML

<tag>content</tag>

<tag />

<tag attribute1="value"
attribute2="value"
/>

<h1>header level 1</h1>

<h2>header level 2</h2>

<h3>header level 3</h3>

<p>paragraph</p>

bold

<i>italics</i>

<u>underline</u>

how it looks

<h1>hello world</h1>

<p>This is a paragraph containing bold text, <i>italicized</i> text, and <u>underlined</u> text.</p>

What follows is a list:

list item 1

list item 2

list item 3

hello world

This is a paragraph containing **bold** text, *italicized* text, and underlined text.

What follows is a list:

- list item 1
- list item 2
- list item 3

easing into fonts

header

```
<h1>%LIBRARY%</h1>
```

```
<h2>%LIBRARY%</h2>
```

```
<font size="6">%LIBRARY%</font> <br/>
```

```
<font size="12">%LIBRARY%</font> <br/>
```

Example Branch 1

Example Branch 1

Example Branch 1

Example Branch

moving into style

```
<p style='font-weight:  
bold'>hello world</p>
```

hello world

```
<p style='font-family: "Times  
New Roman", Times,  
serif'>hello world</p>
```

hello world

```
<p style='font-family:  
"Comic Sans MS", cursive,  
sans-serif'>hello world</p>
```

hello world

useful CSS

font-family: serif;

font-size: xx-large;

font-size: 20px;

font-style: italic;

font-weight: bold;

border: 5px solid red;

text-transform:

uppercase;

text-transform:

capitalize;

a brief diversion


%title%

Barcode: <span
style='font-size: 25pt;
font-family: "Free 3 of
9"'>*%barcode%
*

1. La canzone italiana del Novecento : da
della società italiana attraverso le sue ca

Barcode: 

<http://www.barcodesinc.com/free-barcode-font/>



http://wiki.evergreen-ils.org/doku.php?id=scratchpad:barcode_font

one last diversion before moving on

```
<p style='position:  
absolute; top: 50px; -  
moz-transform: rotate  
(90deg)';>hello  
world</p>
```

hello world

inserting an image

```
<br/>
```

```
Welcome to %LIBRARY%!<br/>
```

```
You checked out the following items:<hr/><ol>
```



Welcome to Example Branch 1!

You checked out the following items:

how text flows around an image

```

```

```
Welcome to %LIBRARY%!
<br/>
```

```
You checked out the
following items:<hr/><ol>
```



Welcome to

Example Branch 1!

You checked out the following items:

how text flows...align="left"

```

```

```
Welcome to %LIBRARY%!  
<br/>
```

```
You checked out the  
following items:<hr/><ol>
```



Welcome to
Example Branch
!!
You checked out
the following
items:

1. La canzone
italiana del
Novecento : da
Piedigrotta al
Festival di

Sanremo, dal caffè-concerto

how text flows...align="right"

```

```

```
Welcome to %LIBRARY%!  
<br/>
```

```
You checked out the  
following items:<hr/><ol>
```

Welcome to
Example Branch
!
You checked out
the following
items:

1. La
canzone
italiana
del



Novecento : da Piedigrotta al

some special macros

`%SUBSTR()` and `%SUBSTR_END%`

`%TRIM-%` and `%-TRIM%`

`%INCLUDE()`

`%DATE_FORMAT%`

`%SORT%`

the SUBSTR macro

```
<li>%SUBSTR(0,10)%%  
title%%SUBSTR_END%  
<br/>
```

```
%PATRON_BARCODE%  
%SUBSTR(-4)%%  
PATRON_BARCODE%%  
SUBSTR_END%
```

Welcome to Example Branch 1!
You checked out the following items:

1. La canzone
Barcode: CONC40000536 Due:
3/27/14 11:59 PM
-

BR1 2014-03-20 06:13
You were helped by Administrator

99999389406

9406

the %INCLUDE()% macro

1: admin@BR1-phasefx-PC.phasefx.evergreencatalog.com

File Edit Search Circulation Cataloging Acquisitions Booking

1 Library Settings Editor +

Go Back Reload Go Forward

Organization Unit Settings | Context Location BR1 | Receipt Template

* Indicates the setting is not inherited from the parent org unit at run time

Edit	History	Group	Setting
Edit	History	Receipt Template	Content of alert_text include
Edit	History	Receipt Template	Content of event_text include
Edit	History	Receipt Template	Content of footer_text include
Edit	History	Receipt Template	Content of header_text include
Edit	History	Receipt Template	Content of notice_text include

the `%INCLUDE()` macro

```
%INCLUDE(alert_text)%
```

hello BR1 world

instead of trying %DATE_FORMAT%

The screenshot shows a web browser window with the address bar displaying "2: admin@BR1-phasefx-PC.phasefx.evergreencatalog.com". The browser has a menu bar with "File", "Edit", "Search", "Circulation", "Cataloging", "Acquisitions", and "Booking". The main content area is titled "1 Library Settings Editor" and contains a sub-section for "Organization Unit Settings" with a "Context Location" dropdown set to "BR1" and a search field containing "date format". Below this is a table of settings. The table has columns for "Edit", "History", "Group", "Setting", "Context", and "Value". The first row is highlighted, showing "GUI" as the group, "Format Dates with this pattern." as the setting, "BR1" as the context, and "MMM d, yyyy" as the value. An "Edit Setting" dialog box is open in the foreground, showing the same setting details: "Format Dates with this pattern." as the title, a description with examples ("yyyy-MM-dd" for "2010-04-26", "MMM d, yyyy" for "Apr 26, 2010"), a "Context" dropdown set to "BR1", and a "Value" text input field containing "MMM d, yyyy". Buttons for "Delete Setting" and "Update Setting" are visible at the bottom of the dialog.

2: admin@BR1-phasefx-PC.phasefx.evergreencatalog.com

File Edit Search Circulation Cataloging Acquisitions Booking Admin (-) Help

1 Library Settings Editor +

Go Back Reload Go Forward Debug Print Page

Organization Unit Settings | Context Location BR1 | date format

Filter Clear Filter Export Import

* Indicates the setting is not inherited from the parent org unit at run time

Edit	History	Group	Setting	Context	Value
Edit	History	GUI	Format Dates with this pattern.	BR1	MMM d, yyyy

Edit Setting

Format Dates with this pattern.

Format Dates with this pattern (examples: "yyyy-MM-dd" for "2010-04-26", "MMM d, yyyy" for "Apr 26, 2010")

Context BR1

Value MMM d, yyyy

Delete Setting Update Setting

and for time...

The screenshot shows a web browser window with the address bar displaying "2: admin@BR1-phasefx-PC.phasefx.evergreencatalog.com". The browser's menu bar includes "File", "Edit", "Search", "Circulation", "Cataloging", "Acquisitions", and "Booking". The page title is "Library Settings Editor".

The main content area is titled "Organization Unit Settings" and shows a "Context Location" dropdown set to "BR1" and a search field containing "format times". Below this are buttons for "Filter", "Clear Filter", "Export", and "Import". A note states: "* Indicates the setting is not inherited from the parent org unit at run time".

Edit	History	Group	Setting	Context	Value
Edit	History	GUI	Format Times with this pattern.	BR1	

An "Edit Setting" dialog box is open, showing the following details:

- Setting:** Format Times with this pattern.
- Context:** BR1
- Value:** (Empty text input field)

Additional text in the dialog box provides examples: "Format Times with this pattern (examples: 'h:m:s.SSS a z' for '2:07:20.666 PM Eastern Daylight Time', 'HH:mm' for '14:07')".

default sort is however things are listed

Lineitem

```
<li>%SUBSTR(0,20)%%  
title%%SUBSTR_END%  
<br/>
```

```
Barcode: %barcode%<br/>
```

```
Due: %due_date%
```

1. La canzone italiana
Barcode: CONC4200036
Due: Mar 27, 2014
2. Mozart and his piano
Barcode: CONC40000538
Due: Mar 27, 2014
3. La canzone italiana
Barcode: CONC40000536
Due: Mar 27, 2014

using %SORT%

Lineitem

%SORT(title)%

```
<li>%SUBSTR(0,20)%%  
title%%SUBSTR_END%  
<br/>
```

Barcode: %barcode%

Due: %due_date%

1. La canzone italiana
Barcode: CONC4200036
Due: Mar 27, 2014
2. La canzone italiana
Barcode: CONC40000536
Due: Mar 27, 2014
3. Mozart and his piano
Barcode: CONC40000538
Due: Mar 27, 2014

finally, where the Javascript went

Lineitem

Item Price: `%price%`

Footer

Total price: ``

1. La canzone italiana
Barcode: CONC4200036
Due: Mar 27, 2014
Item Price: <Unset>
2. La canzone italiana
Barcode: CONC40000536
Due: Mar 27, 2014
Item Price: 3.33
3. Mozart and his piano
Barcode: CONC40000538
Due: Mar 27, 2014
Item Price: 5.00

Total price: 8.33

Thanks :-)

You can reach me at jason@esilibrary.com,
though I'd encourage you to subscribe to the
public mailing list OPEN-ILS-GENERAL:

[http://libmail.georgialibraries.
org/mailman/listinfo/open-ils-general](http://libmail.georgialibraries.org/mailman/listinfo/open-ils-general)